

FLoad v2.1 for DOS

Program Description	<p>The FLoad application takes a file definition that was exported from the data dictionary by FSave and re-imports it back into a new data dictionary.</p> <p>The current FLoad application is Scalable SQL based and will not work on a Pervasive.SQL 2000 or newer database.</p>
Platform and Package	DOS, DDF Utility & Management Package
Pricing	FREE Shareware
Command Line Syntax and Help Screen	<p>FLOAD Version 2.1(2.0 Files): 04/05 (C) 1997 Goldstar Software, Inc.</p> <p>Usage: FLOAD <FileSpec> [["/L=Location["]] [/P=MasterPassword] [/F]</p> <p>This utility loads a description of the specified table into the Data Dictionary in the current working directory. The file includes the table name, fields, attributes, indexes, and other information. Wildcards may be used for <FileSpec> to load multiple files. If <Location> is omitted, the table is restored with its original path. Use the /P= option to provide the database Master Password. If the /F flag is used, invalid chars are converted to underscores.</p>
Examples and Sample Usage	<p>The command "FLOAD MYDATA.FIL" reads the MYDATA.FIL and recreates the DDF definition (in DDFs in the current directory) from the information contained therein.</p>
Other Information	<p>FLoad is part of the DDF Utility & Management Package.</p> <p>A Win32 version is not available.</p> <p>For more information on these utilities contact us at www.goldstarsoftware.com</p>
Version History	Version 2.1: First documented version
Known Problems	<p>This version works on Scalable SQL 3 and Scalable SQL 4 (Pervasive.SQL 7) engines only. No support for Pervasive.SQL 2000 or newer exists at this time.</p>

FSave v2.1 for DOS

Program Description	<p>The FSave application takes a file definition from the data dictionary and dumps the information into a FIL file. This data can later be imported into another data dictionary by FLoad.</p> <p>The current FSave application is Scalable SQL based and will not work on a Pervasive.SQL 2000 or newer database.</p>
Platform and Package	DOS, DDF Utility & Management Package
Pricing	FREE Shareware
Command Line Syntax and Help Screen	<p>FSAVE Version 2.1(2.0 Files): 04/05 (C) 1997 Goldstar Software, Inc.</p> <p>Usage: FSAVE ["<TableName>"] [<DOSFileName>] [/P=MasterPassword]</p> <p>This command saves a description of the specified table from the Data Dictionary in the current working directory. This file includes table name, fields, attributes, indexes, and other information. The data is written to <DOSFileName> (if specified), or to TableName.FIL. The quotes are necessary only if the table name includes spaces. Use the /P= option to provide the database Master Password. If <TableName> is *, EVERY TABLE is saved in numbered files, e.g. 1.FIL.</p>
Examples and Sample Usage	<p>The command "FSAVE MYDATA" reads the DDF definition of the MYDATA table and creates the MYDATA.FIL file with the definition information.</p>
Other Information	<p>FSave is part of the DDF Utility & Management Package.</p> <p>A Win32 version is not available.</p> <p>For more information on these utilities contact us at www.goldstarsoftware.com</p>
Version History	Version 2.1: First documented version
Known Problems	<p>This version works on Scalable SQL 3 and Scalable SQL 4 (Pervasive.SQL 7) engines only. No support for Pervasive.SQL 2000 or newer exists at this time.</p>

FPrint7 v2.1 for DOS

Program Description	<p>The FPrint7 application reads a file definition from the data dictionary via Scalable SQL calls (specifically, XQL) and dumps the information to stdout in a usable report format. There are numerous switch options to support different output formats.</p> <p>The current FPrint7 application is Scalable SQL based and will not work on a Pervasive.SQL 2000 database.</p>
Platform and Package	DOS, DDF Utility & Management Package
Pricing	FREE Shareware
Command Line Syntax and Help Screen	<p>FPRINT Version 2.1: 04/05 (C) 1997 Goldstar Software, Inc.</p> <p>Usage: FPRINT ["<TableName>"] [/P=masterpassword] [/<OptionList>]</p> <p>This utility prints a description of the specified table from the Data Dictionary in the current working directory. This report will include fields, types, lengths, indexes, and other information. The quotes are necessary only if <TableName> includes spaces. If <TableName> is *, a report for EVERY TABLE will be produced. Use the /P= option to provide the database Master Password. The option list may contain any of the following options:</p> <ul style="list-style-type: none">B - Display the Btrieve File Information.F - Display the Field Information.M - Display Field Masks. (Implies /F)H - Display Field Headings. (Implies /F)I - Display the Index Information.U - Display Unique Values for Indexes. (Implies /I)A - Display All of the Above.X - Display XQL File Information.N - Display Table Names Only (Ignores All Other Flags).
Examples and Sample Usage	<p>The options affect how the final display will look. Most of the above are self-explanatory, and will be documented upon request.</p> <p>The command "FPRINT7 * -N" will simply display a list of all table names in the dictionary. The command "FPRINT7 * -A >FILES.TXT" will dump a printer-suitable report to the file FILES.TXT. Note that the printer must support 132 columns or more to print correctly.</p>
Other Information	<p>FPrint7 is part of the DDF Utility & Management Package.</p> <p>A Win32 version is not yet available.</p> <p>For more information on these utilities contact us at www.goldstarsoftware.com</p>
Version History	Version 2.1: First documented version
Known Problems	This version works on Scalable SQL 3 and Scalable SQL 4 (Pervasive.SQL 7) engines only. No support for Pervasive.SQL 2000 exists at this time.